ELSEVIER

Physica C 224 (1994) 397–400

PHYSICA C

Author Index to Volume 224

Abulafia, Y., see Y. Wolfus **224**, 213
Adachi, S., see X.-J. Wu **224**, 175
Akamatsu, M., see R. Yoshizaki **224**, 121
Alexandrov, A.S., V.V. Kabanov and D.K. Ray, Polaron theory of mid-infrared conductivity. A numerical cluster solution **224**, 247
Aminov, B.A., M.A. Hein, G. Müller, T.E. Os'kina, H. Piel, Ya.G. Ponomarev, Yu.D. Tret'yakov and D. Wehler, Temperature-induced transition from tunnelling to metallic behaviour of $Bi_{2-x}Pb_xSr_2Ca_nCu_{n+1}O_y$ ($x=0.4$, $n=1$ and $n=2$) break junctions **224**, 321
Ando, K., see S. Nomura **224**, 51
Aoki, S., see R. Chatterjee **224**, 286
Arora, O.P., see A. Srinivasa Rao **224**, 221
Ashkenazy, V.D., G. Jung, I.B. Khalfin and B.Ya. Shapiro, Random-signal interaction with flowing lattice of Abrikosov vortices **224**, 377

Barber, Z.H., see H.W. Lean **224**, 207
Bäuerle, D., see G. Hilscher **224**, 330
Bhagwat, K.V. and P. Chaddah, Flux penetration in spheroid samples – critical state model with field-dependent critical current density **224**, 155
Boguslavskij, Yu.M., see K. Joosse **224**, 179
Borowski, R., see L.F. Rybalchenko **224**, 38
Brainard, R.J., see P.J. Kung **224**, 58
Budai, J.D., see R. Feenstra **224**, 300

Cao, G.H., see Y.S. Yao **224**, 91
Cava, R.J., see H.W. Zandbergen **224**, 6
Chaddah, P., see K.V. Bhagwat **224**, 155
Chatterjee, R., S. Aoki, M. Fukutomi, K. Komori, K. Togano and H. Maeda, Transport properties and surface morphology in Y123 films on metallic substrates with grain-oriented buffer layer **224**, 286
Chen, H.Q., Z.N. Qian, Y.C. Lan, L.W. Zeng, D.Y. Wang and D.M. Wu, A study on the effects of Tl_2O_3 vapour for obtaining Tl-2223 superconductors with $T_c(R=0)>125$ K **224**, 196
Chen, J.L. and T.J. Yang, The hysteresis of magnetization in the generalized critical-state model. Low-field approximation **224**, 345
Chen, L.-X.n., see R. Yoshizaki **224**, 121
Chen, N., see Y. Li **224**, 391
Chen, Q.W., Y.T. Qian, Z.Y. Chen, K.B. Tang, G.E. Zhou and Y.H. Zhang, Preparation of a Tl-based superconductor by a hydrothermal method **224**, 228
Chen, Z.Y., see Q.W. Chen **224**, 228
Chien, T.R., see T.W. Krause **224**, 13
Christen, D.K., see R. Feenstra **224**, 300
Couach, M., see G. Triscone **224**, 263
Currie, D.B., M.T. Weller, P.C. Lanchester and R. Walia, Superconductivity and crystal structure of $Ln_2Ba_4Cu_7O_{14+\delta}$ (Ln=Er, Y, Ho, Dy, Nd). A high-resolution powder neutron-diffraction study **224**, 43

Datars, W.R., see T.W. Krause **224**, 13
Dumschat, J., see G. Hilscher **224**, 330

Esquinazi, P., see M. Ziese **224**, 79

Fàbrega, L., J. Fontcuberta and S. Piñol, Inductive critical currents in $Ln_{2-x}Ce_xCuO_4$ single crystals. The effect of thermal activation **224**, 99
Feenstra, R., X. Li, M. Kanai, T. Kawai, S. Kawai, J.D. Budai, E.C. Jones, Y.R. Sun, J.R. Thompson, S.J. Pennycook and D.K. Christen, Electron-doped and hole-doped infinite layer $Sr_{1-x}CuO_{2-\delta}$ films grown by laser molecular beam epitaxy **224**, 300
Feigel'man, M., see Y. Wolfus **224**, 213
Finnemore, D.K., see Y.G. Xiao **224**, 240
Flynn, E.R., see P.J. Kung **224**, 58
Foltyn, S.R., see P.J. Kung **224**, 58
Fontcuberta, J., see L. Fàbrega **224**, 99
Frangi, F., L. Jansak, M. Majoros and S. Zannella, Trapped magnetic fields in melt-textured YBCO **224**, 20
Franse, J.J.M., see T.W. Li **224**, 110
Fu, W.T., see T.W. Li **224**, 110
Fujiwara, A., see Y. Koike **224**, 31
Fukutomi, M., see R. Chatterjee **224**, 286

Gauckler, L.J., see H. Heinrich **224**, 133
Genoud, J.-Y., see G. Triscone **224**, 263
Gerritsma, G.J., see K. Joosse **224**, 179
Gong, C.-D., see W. Lu **224**, 75
Gong, H., see Y.S. Yao **224**, 91
Graf, T., see G. Triscone **224**, 263
Greaves, C., see Yu.M. Yarmoshenko **224**, 317
Groult, D., see V. Hardy **224**, 143
Gvozdikov, V.M., Electromagnetic waves in layered superconductors **224**, 293

Hahakura, S., see J. Shimoyama **224**, 1
Hardy, V., A. Ruyter, J. Provost, D. Groult and Ch. Simon, Columnar defects and relaxation in Bi-2212 single crystals. Dual analysis by the single-barrier model and the Hagen and Griessen inversion scheme **224**, 143
Hashimoto, T., see S. Yu **224**, 363
Heeb, B., see H. Heinrich **224**, 133
Hein, M.A., see B.A. Aminov **224**, 321
Heinrich, H., G. Kostorz, B. Heeb and L.J. Gauckler, Modelling the atomic displacements in $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ superconductors **224**, 133
Hellebrand, B., see G. Hilscher **224**, 330
Hilscher, G., T. Holubar, G. Schaudy, J. Dumschat, M. Strecker, G. Wortmann, X.Z. Wang, B. Hellebrand and D. Bäuerle, Rare-earth magnetism and superconductivity in $RBaSrCu_3O_{7-x}$ (R=Gd, Pr) **224**, 330
Hisaki, T., see Y. Koike **224**, 31
Holubar, T., see G. Hilscher **224**, 330
Holzinger-Schweiger, E. and G. Leising, Optical and electrical investigations of $Pr_xY_{1-x}Ba_2Cu_3O_{7-\delta}$ single crystals **224**, 185
Hur, N.H., see Y.H. Ko **224**, 357

Ikeda, H., see R. Yoshizaki **224**, 121
Ito, W., Y. Yoshida, S. Mahajan and T. Morishita, Effects of substrate ion sheath during sputtering on the superconductivity of *a*-axis YBCO films **224**, 384

Janod, E., see G. Triscone **224**, 263
Jansak, L., see F. Frangi **224**, 20
Jin, C.-Q., see X.-J. Wu **224**, 175
Jones, E.C., see R. Feenstra **224**, 300
Joosse, K., Yu.M. Boguslavskij, G.J. Gerritsma, H. Rogalla, J.G. Wen and A.G. Sivakov, Electric-field effect devices made of $YBa_2Cu_3O_{7-x}/SrTiO_3$ epitaxial multilayers **224**, 179
Jung, G., see V.D. Ashkenazy **224**, 377
Junod, A., see G. Triscone **224**, 263

Kabanov, V.V., see A.S. Alexandrov **224**, 247
Kanai, M., see R. Feenstra **224**, 300
Kasuya, T., Double layer effect on superconductivity in $YBa_2Cu_3O_{6+x}$ **224**, 191
Kawai, S., see R. Feenstra **224**, 300
Kawai, T., see R. Feenstra **224**, 300
Kawashima, T., Y. Matsui and E. Takayama-Muromachi, New oxycarbonate superconductors $(Cu_{0.5}C_{0.5})Ba_2Ca_nCu_{n+1}O_{2n+5}$ (n=2, 3) prepared at high pressure **224**, 69
Kes, P.H., see T.W. Li **224**, 110
Khalfin, I.B., see V.D. Ashkenazy **224**, 377
Khoder, A.F., see G. Triscone **224**, 263
Kishio, K., see J. Shimoyama **224**, 1
Kitazawa, K., see J. Shimoyama **224**, 1
Klein, L., see Y. Wolfus **224**, 213
Ko, Y.H., H.K. Kweon, H.C. Lee and N.H. Hur, An ^{17}O NMR study of $PrBa_2Cu_3O_{7-\delta}$ **224**, 357
Koike, Y., T. Hisaki, K. Sasaki, A. Fujiwara, T. Noji and Y. Saito, Iodine and bromine intercalation into the Bi-2222 phase of $Bi_2Sr_2(Gd_{0.82}Ce_{0.18})_2Cu_2O_{10+\delta}$ **224**, 31
Komori, K., see R. Chatterjee **224**, 286
Konczykowski, M., see Y. Wolfus **224**, 213
Kopelevich, Y., see M. Ziese **224**, 79
Kostorz, G., see H. Heinrich **224**, 133
Krajewski, J.J., see H.W. Zandbergen **224**, 6
Krause, T.W., T.R. Chien, A.-C. Shi and W.R. Datars, Anisotropic thermally activated flux flow and flux flow in $Bi_2Sr_2CaCu_2O_y$ crystals **224**, 13
Kung, P.J., E.J. Peterson, E.R. Flynn, C.B. Mombourquette, S.R. Foltyn and R.J. Brainard, Phase evolution and superconductivity emergence in repetitively annealed Bi–Sr–Ca–Cu–O thin films **224**, 58
Kurin, V.V. and A.I. Panfilov, Flux lines and lattices in superconductors with additional ordering **224**, 277
Kurmaev, E.Z., see Yu.M. Yarmoshenko **224**, 317
Kweon, H.K., see Y.H. Ko **224**, 357

Lan, Y.C., see H.Q. Chen **224**, 196
Lanchester, P.C., see D.B. Currie **224**, 43
Larkin, V.A., see Y. Wolfus **224**, 213
Lean, H.W., E.J. Tarte, J.R. Waldram, Z.H. Barber and R.E. Somekh, The effect of barrier thickness and interface resistance upon the critical currents of $YBa_2Cu_3O_{7-\delta}$/noble metal/conventional superconductor junctions **224**, 207
Lee, H.C., see Y.H. Ko **224**, 357
Leising, G., see E. Holzinger-Schweiger **224**, 185
Li, J.W., see Y.S. Yao **224**, 91
Li, J.W., see Y.G. Xiao **224**, 240
Li, T.W., P.H. Kes, W.T. Fu, A.A. Menovsky and J.J.M. Franse, Anisotropic oxygen diffusion in $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals **224**, 110
Li, X., see R. Feenstra **224**, 300
Li, Y., N. Chen and Z.X. Zhao, Stress-field pinning induced by lattice mismatch in Y-123 superconductors **224**, 391
Liu, W., see Y.S. Yao **224**, 91
Liu, Z.X., see Y.S. Yao **224**, 91
Lu, F., see H.J. Tao **224**, 117
Lu, W. and C.-D. Gong, Local-moment antiferromagnetic spin fluctuations and the normal-state properties of high-T_c cuprates **224**, 75

Maeda, H., see R. Chatterjee **224**, 286
Mahajan, S., see W. Ito **224**, 384
Majoros, M., see F. Frangi **224**, 20
Manthiram, A., see Y.T. Zhu **224**, 256
Matsui, Y., see T. Kawashima **224**, 69
Menovsky, A.A., see T.W. Li **224**, 110
Mombourquette, C.B., see P.J. Kung **224**, 58
Morishita, T., see W. Ito **224**, 384
Morris, D.E., see K.K. Singh **224**, 231
Müller, G., see B.A. Aminov **224**, 321
Muller, J., see G. Triscone **224**, 263

Noji, T., see Y. Koike **224**, 31

Nomura, S., H. Yoshino and K. Ando, Cation nonstoichiometry in $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ **224**, 51

Okuda, Y., see S. Yu **224**, 363
Opagiste, C., see G. Triscone **224**, 263
Os'kina, T.E., see B.A. Aminov **224**, 321

Pande, C.S., see A. Srinivasa Rao **224**, 221
Panfilov, A.I., see V.V. Kurin **224**, 277
Peck Jr. , W.F., see H.W. Zandbergen **224**, 6
Pennycook, S.J., see R. Feenstra **224**, 300
Peterson, D.E., see M.G. Smith **224**, 168
Peterson, E.J., see P.J. Kung **224**, 58
Phillips, D.S., see M.G. Smith **224**, 168
Piel, H., see B.A. Aminov **224**, 321
Piñol, S., see L. Fàbrega **224**, 99
Ponomarev, Ya.G., see B.A. Aminov **224**, 321
Provost, J., see V. Hardy **224**, 143

Qian, Y.T., see Q.W. Chen **224**, 228
Qian, Z.N., see H.Q. Chen **224**, 196

Ray, D.K., see A.S. Alexandrov **224**, 247
Rogalla, H., see K. Joosse **224**, 179
Ruyter, A., see V. Hardy **224**, 143
Rybalchenko, L.F., Y.K. Yanson, R. Borowski and D. Wohlleben, Switching phenomena in YBCO point contacts **224**, 38

Saito, Y., see Y. Koike **224**, 31
Sasaki, K., see Y. Koike **224**, 31
Sato, M., see S. Tanaka **224**, 126
Schaudy, G., see G. Hilscher **224**, 330
Shapiro, B.Ya., see V.D. Ashkenazy **224**, 377
Sharma, R.R., Hydrostatic pressure effect on T_c in the high-temperature superconductors $YBa_2Cu_3O_{6.60}$ and $YBa_2Cu_3O_{6.93}$ at low pressure in the framework of the dipolon-mechanism **224**, 368
Shaulov, A., see Y. Wolfus **224**, 213
Sherman, A.B., see M. Ziese **224**, 79
Shi, A.-C., see T.W. Krause **224**, 13
Shimoyama, J., S. Hahakura, K. Kitazawa, K. Yamafuji and K. Kishio, A new mercury-based superconductor: (Hg, Cr)Sr_2CuO_y **224**, 1
Simon, Ch., see V. Hardy **224**, 143
Singh, K.K., D.E. Morris and A.P.B. Sinha, $Nd_{1+x}Ba_{2-x}Cu_3O_y$ processed in high pressure oxygen. Effects of enhanced oxygen uptake on structure and superconductivity **224**, 231
Sinha, A.P.B., see K.K. Singh **224**, 231
Sivakov, A.G., see K. Joosse **224**, 179
Slater, P.R., see Yu.M. Yarmoshenko **224**, 317
Smith, M.G., D.S. Phillips, D.E. Peterson and J.O. Willis, Atomic redistribution and mass transport in the formation of $Bi_{1.80}Pb_{0.43}Sr_{1.71}Ca_{2.14}Cu_3O_{10+x}$ **224**, 168
Somekh, R.E., see H.W. Lean **224**, 207
Srinivasa Rao, A., O.P. Arora and C.S. Pande, Superconductivity in Y–Ba–Cu–O/Al composite system **224**, 221
Strecker, M., see G. Hilscher **224**, 330
Su, Y.J., see Y.S. Yao **224**, 91
Suemune, Y., see S. Yu **224**, 363
Sun, Y.R., see R. Feenstra **224**, 300

Takayama-Muromachi, E., see T. Kawashima **224**, 69
Tanaka, S., E. Ueda and M. Sato, STM/STS studies on $YBa_2Cu_3O_y$ single crystals **224**, 126
Tang, K.B., see Q.W. Chen **224**, 228
Tao, H.J., F. Lu, G. Zhang and E.L. Wolf, Josephson tunneling in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single-crystal break junctions **224**, 117
Tarte, E.J., see H.W. Lean **224**, 207
Thompson, J.R., see R. Feenstra **224**, 300
Togano, K., see R. Chatterjee **224**, 286
Tret'yakov, Yu.D., see B.A. Aminov **224**, 321
Triscone, G., A.F. Khoder, C. Opagiste, J.-Y. Genoud, T. Graf, E. Janod, T. Tsukamoto, M. Couach, A. Junod and J. Muller, Reversible magnetization below T_c in high-quality superconducting ceramics **224**, 263
Trofimova, V.A., see Yu.M. Yarmoshenko **224**, 317
Tsukamoto, T., see G. Triscone **224**, 263

Ueda, E., see S. Tanaka **224**, 126

Verhoeven, J.D., see Y.G. Xiao **224**, 240

Waldram, J.R., see H.W. Lean **224**, 207
Walia, R., see D.B. Currie **224**, 43
Wang, D.Y., see H.Q. Chen **224**, 196
Wang, X.Z., see G. Hilscher **224**, 330
Wehler, D., see B.A. Aminov **224**, 321
Weller, M.T., see D.B. Currie **224**, 43
Wen, J.G., see K. Joosse **224**, 179
Willis, J.O., see M.G. Smith **224**, 168
Wohlleben, D., see L.F. Rybalchenko **224**, 38
Wolf, E.L., see H.J. Tao **224**, 117
Wolfus, Y., Y. Abulafia, L. Klein, V.A. Larkin, A. Shaulov, Y. Yeshurun, M. Konczykowski and M. Feigel'man, Diverging time scales for onset of irreversibility in high-temperature superconductors **224**, 213
Wortmann, G., see G. Hilscher **224**, 330
Wu, D.M., see H.Q. Chen **224**, 196
Wu, F., see Y.S. Yao **224**, 91
Wu, X.-J., C.-Q. Jin, S. Adachi and H. Yamauchi, Ag distribution in a superconducting Ag–Ba–Ca–Cu–O sample **224**, 175

Xiao, Y.G., J.W. Li, B. Yin, Z.X. Zhao, D.K. Finnemore and J.D. Verhoeven, Irreversibility lines in Cu–Nb in-situ composites **224**, 240

Yamafuji, K., see J. Shimoyama **224**, 1
Yamauchi, H., see X.-J. Wu **224**, 175
Yang, T.J., see J.L. Chen **224**, 345

Yanson, Y.K., see L.F. Rybalchenko **224**, 38
Yao, Y.S., Y.J. Su, W. Liu, Z.X. Liu, H. Gong, J.W. Li, G.H. Cao, F. Wu and Z.X. Zhao, Superconductivity, microstructure and pressure effect on T_c of Hg-based compounds prepared under high pressure **224**, 91
Yarmoshenko, Yu.M., V.A. Trofimova, E.Z. Kurmaev, P.R. Slater and C. Greaves, X-ray emission spectra of $YSr_2Cu_3O_{7-\delta}$ containing sulphate and phosphate groups **224**, 317
Yeshurun, Y., see Y. Wolfus **224**, 213
Yin, B., see Y.G. Xiao **224**, 240
Yoshida, Y., see W. Ito **224**, 384
Yoshino, H., see S. Nomura **224**, 51
Yoshizaki, R., H. Ikeda, L.-X.n. Chen and M. Akamatsu, Phase diagram of a high-temperature superconductor in the $Bi_2Sr_2CuO_y$ system **224**, 121
Yu, S., Y. Okuda, T. Hashimoto and Y. Suemune, Effect of B_2O_3 addition on the formation of single high-T_c phase in the $(Bi, Pb)_2Sr_2Ca_2Cu_3O_y$ superconductor **224**, 363
Zandbergen, H.W., R.J. Cava, J.J. Krajewski and W.F. Peck Jr., HREM on superconducting $LuNi_2B_2C$ and the related compound LuNiBC **224**, 6
Zannella, S., see F. Frangi **224**, 20
Zeng, L.W., see H.Q. Chen **224**, 196
Zhang, G., see H.J. Tao **224**, 117
Zhang, Y.H., see Q.W. Chen **224**, 228
Zhao, Z.X., see Y.S. Yao **224**, 91
Zhao, Z.X., see Y.G. Xiao **224**, 240
Zhao, Z.X., see Y. Li **224**, 391
Zhou, G.E., see Q.W. Chen **224**, 228
Zhu, Y.T. and A. Manthiram, Role of oxygen in $Ln_{2-x}Ce_xCuO_4$ superconductors **224**, 256
Ziese, M., P. Esquinazi, Y. Kopelevich and A.B. Sherman, Thermally activated depinning in superconducting $YBa_2Cu_3O_7$. A quantitative comparison with the theory of flux diffusion **224**, 79

ELSEVIER

Physica C 224 (1994) 401–402

PHYSICA C

Analytic Subject Index to Volume 224

Anisotropic energy gap 126
Anisotropic superconductor 13, 79, 110, 263
Antiferromagnetic order 191, 277, 330
Applications 117

B_2O_3 as a flux 363
Bose condensation 191

Columnar defects 143
Composite systems 221
Critical current density 20, 58, 99
Critical state model 99, 155, 345
Cu-Nb 240
Cu–O planes 191

Dipolon mechanism 368

Electrical resistivity 31, 69, 75, 121, 185, 221, 228, 300, 363
Electric field effect 179
Electromagnetic waves 293
Electron-doped superconductor 99
Electronic structure 126
–of $PrBa_2Cu_3O_{7-\delta}$ 357
Electron–phonon coupling 247
Energy gap 117, 321

Fluctuation effects 121, 263
Flux creep 213
Flux dynamics 13, 79, 99
Flux flow 377
Flux lattice 213, 277
Flux pinning 13, 79, 143, 391

Grain alignment 286
Granular superconductivity 221

Hall-probe technique 20
High-pressure effect 91, 175
HREM 6, 91, 133, 368

Incommensurate modulation 133
Infrared spectroscopy 247
Inhomogeneous superconductivity 277
Intercalation 31
Interface resistance 207
Irradiation effect 143
IR-reflectivity 185
Irreversibility line 121
–in Cu–Nb 240

Josephson effect 117, 207

Laser deposition 58
Lattice dynamics 240
Lattice image 69
Lattice parameters 231, 384
–of $Bi_2Sr_2CaCu_2O_{8+x}$ 110
Layered superconductors 293

Magnetic field profiles 20
Magnetic relaxation 143
Magnetic susceptibility 1, 58, 69
–of $RBaSrCu_3O_{7-x}$ (R=Gd,Pr) 330
Magnetization 51, 99, 155, 231, 240, 256, 277, 345
Magnetoresistance
–of $Bi_2Sr_2CaCu_2O_y$ 13
Melt-textured YBCO 20
Mixed state 240
Mössbauer spectroscopy 330
Multilayers 179

Neutron diffraction
–of $Ln_2Ba_4Cu_7O_{14+\delta}$ (Ln=Er,Y,Ho,Dy,Nd) 43
NMR 75, 357
Non-ohmic behaviour 38

Oxycarbonate superconductor 69
Oxygen diffusion 38
Oxygen ordering 110, 133
Oxygen stoichiometry 43, 110, 231, 256

Phase diagram 277
Point-contact spectroscopy 38
Polaronic superconductor 247
Proximity effect 207, 321

Random noise 377
Reversible magnetization 263

Scanning tunneling microscopy 126
Specific heat 330
Spin fluctuations 75
Stress field 391
Structure
–of Ag–Ba–Ca–Cu–O 175
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ 51
–of $Bi_{1.80}Pb_{0.43}Sr_{1.71}Ca_{2.14}Cu_3O_{10+x}$ 168
–of $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ 133
–of $Bi_2Sr_2(Gd_{0.82}Ce_{0.18})_2Cu_2O_{10+\delta}$ 31
–of $Ln_2Ba_4Cu_7O_{14+\delta}$ (Ln=Er,Y,Ho,Dy,Nd) 43
–of $Ln_{2-x}Ce_xCuO_4$ 256
–of $LuNi_2B_2C$ 6
–of $Sr_{1-x}CuO_{2-\delta}$ 300
–of $YSr_2Cu_3O_{7-\delta}$ 317
Substitution effects 391
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ 51
–in $Bi_2Sr_2(Gd_{0.82}Ce_{0.18})_2Cu_2O_{10+\delta}$ 31
–in $(Hg,Cr)Sr_2CuO_y$ 1
–in $Ln_{2-x}Ce_xCuO_4$ 256
–in $YSr_2Cu_3O_{7-\delta}$ 317
Superlattices 293
Surface morphology 286
Synthesis
–of Ag–Ba–Ca–Cu–O 175
–of $Bi_{1.80}Pb_{0.43}Sr_{1.71}Ca_{2.14}Cu_3O_{10+x}$ 168
–of Bi–Pb–Sr–Ca–Cu–O 363
–of $(Hg,Cr)Sr_2CuO_y$ 1
–of Hg-1212 91
–of $Nd_{1+x}Ba_{2-x}Cu_3O_y$ 231
–of $Pr_xY_{1-x}Ba_2Cu_3O_{7-\delta}$ 185
–of $Sr_{1-x}CuO_{2-\delta}$ 300
–of Tl-2223 196
–of Tl–Ba–Ca–Cu–O 228
–of $YBa_2Cu_3O_x$ 384

Texturing 286
Thin films 58, 286, 377, 384

–of $Sr_{1-x}CuO_{2-\delta}$ 300
Tunneling 117, 321
Type II superconductors 213, 345, 357

Ultrathin films 179
Upper critical field H_{c2} 263

Vapour pressure
–of Tl-2223 196
Vortex glass transition 213

XAFS 330
XPS 317
X-ray diffraction 1, 6, 43, 51, 228, 300, 363